

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	1	("5774660").PN.	USPAT; USOCR	OR	OFF	2006/03/13 12:42
S3	1	("20020103663").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/13 12:42
S4	4	"709"/\$.ccls. and (recover\$3 and failover\$3).ab. and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:48
S5	132	"709"/\$.ccls. and (recover\$3 and failover\$3) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:49
S6	25	"709"/\$.ccls. and (failover\$3).ab. and recover\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:57
S7	31	"709"/\$.ccls. and (failover\$3) same recover\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:09
S8	31	"709"/\$.ccls. and (failover\$3) same recover\$3 and fail\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 12:59
S9	2	"709"/\$.ccls. and (failover\$3) same recover\$3 with policy and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:16
S10	0	"709"/\$.ccls. and (failover\$3).ti. and recover\$3 with policy and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 16:18

EAST Search History

S11	2	"709"/\$.ccls. and (failover\$3).ab. and recover\$3 with policy and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 16:29
S12	0	"709"/\$.ccls. and (failover\$3 with proxy) and recover\$3 with policy and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 16:30
S13	2	"709"/\$.ccls. and (failover\$3 with proxy) and recover\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 16:51
S14	0	"709"/\$.ccls. and (loadbalanc\$3 near1 server) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 16:52
S15	7551	"709"/\$.ccls. and (load balanc\$3 near1 server) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 16:52
S16	209	"709"/\$.ccls. and (load near1 balanc\$3 near1 server) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 16:52
S17	1	"709"/\$.ccls. and (load near1 balanc\$3 near1 server) with polic\$1 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:03
S18	2	(load near1 balanc\$3 near1 server) with polic\$1 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:03

EAST Search History

S19	373	(load near1 balanc\$3 near1 server) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:03
S20	8	(load near1 balanc\$3 near1 server) same polic\$1 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:04
S21	10	(load near1 balanc\$3 near1 server) same polic\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:04
S22	5	"709"/\$.ccls. and (load near1 balanc\$3 near1 server) same polic\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:43
S23	39	"709"/\$.ccls. and (load near1 balanc\$3 with server) same polic\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:43
S24	222	"709"/\$.ccls. and (load near1 balanc\$3 with server) and polic\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:43
S25	28	"709"/\$.ccls. and (load near1 balanc\$3 with server) with polic\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:59
S26	0	"709"/\$.ccls. and (re-direct\$3 with table) with polic\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:00

EAST Search History

S27	0	"709"/\$.ccls. and (re near1 direct\$3 with table) with polic\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:00
S28	0	"709"/\$.ccls. and (re near1 direct\$3 with table) same load with balancing and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:01
S29	9	"709"/\$.ccls. and (direct\$3 with table) same load with balancing and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:01
S30	9	"709"/\$.ccls. and (direct\$3 with table) same load with balancing and fail\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:02
S31	0	"709"/\$.ccls. and (direct\$3 with table) same load with balancing and fail\$3 with dectect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:02
S32	0	"709"/\$.ccls. and (direct\$3 with table) and load with balancing and fail\$3 with dectect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:02
S33	0	"709"/\$.ccls. and (direct\$3 with table) and fail\$3 with dectect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:02
S34	164	"709"/\$.ccls. and (direct\$3 with table) and fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:02

EAST Search History

S35	66	"709"/\$.ccls. and (direct\$3 with table) and fail\$3 with detect\$3 and load with balanc\$4 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:03
S36	1	"709"/\$.ccls. and (direct\$3 with table) with recover\$3 and fail\$3 with detect\$3 and load with balanc\$4 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:05
S37	81	"709"/\$.ccls. and recover\$3 same fail\$3 with detect\$3 and load with balanc\$4 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:57
S38	35	"709"/\$.ccls. and recover\$3 same fail\$3 with detect\$3 and load with balanc\$4 and policy and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:58
S39	0	"709"/\$.ccls. and recover\$3 same fail\$3 with detect\$3 and load with balanc\$4 and recover near2 policy and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:58
S40	0	"709"/\$.ccls. and recover\$3 same fail\$3 and detect\$3 and load with balanc\$4 and recover near2 policy and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:58
S41	0	"709"/\$.ccls. and fail\$3 and detect\$3 and load with balanc\$4 and recover near2 policy and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:59
S42	15	"709"/\$.ccls. and fail\$3 and detect\$3 and load with balanc\$4 and recover\$3 near2 policy and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 19:02

EAST Search History

S43	13	"709"/\$.cccls. and fail near1 over\$4 and recover\$3 near2 policy and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 19:17
S44	1	"709"/\$.cccls. and fail near1 over\$4 and recover\$3 near2 directions and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 19:38
S45	1	("20040230660").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/13 19:42
S46	0	messages near1 type41 with parameter\$1 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 19:43
S47	0	messages with type41 with parameter\$1 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 19:43
S48	1372	messages with type\$1 with parameter\$1 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 19:43
S49	80	messages with type\$1 with parameter\$1 with server\$1 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 19:43
S50	0	messages with type\$1 with parameter\$1 with forward\$3 with server\$1 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 19:44
S51	6	messages with type\$1 with parameter\$1 same forward\$3 with server\$1 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 20:01

EAST Search History

S52	0	("20020126135").PN.	USPAT; USOCR	OR	OFF	2006/03/13 20:01
S53	1	("20020126135").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/13 20:09
S54	1	("20040133669").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 12:14
S55	0	("DNSandrecover\$3andfail\$3and@ad<=20010201").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 12:14
S56	1296	DNS and recover\$3 and fail\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:15
S57	19	DNS with recover\$3 and fail\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:16
S58	1	DNS with server with recover\$3 and fail\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:15
S59	1	DNS with server same recover\$3 with table and fail\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:31
S60	93	recover\$3 with rout\$4 with table and fail\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:32
S61	20	recover\$3 with rout\$4 with table and fail\$3 with over and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:32

EAST Search History

S62	0	proxy with recover\$3 with rout\$4 with table and fail\$3 with over and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:32
S63	1	router with recover\$3 with rout\$4 with table and fail\$3 with over and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:46
S64	10	router with recover\$3 same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:46
S65	2	router with recover\$3 same fail\$3 with detect\$3 with period and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:49
S66	10	router with recover\$3 same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:49
S67	0	router with recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:49
S68	10	router with recover\$3 same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:51
S69	35	recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:58

EAST Search History

S70	0	proxy with recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:58
S71	0	proxy with recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:59
S72	0	proxy same recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:59
S73	0	DNS near1 server same recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:59
S74	2	server same recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:00
S75	35	recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:01
S76	6	recover\$3 near2 table same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:54
S77	0	Abjamic.in. and transaction with types and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:55

EAST Search History

S78	10408	transaction with types and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:55
S79	309	transaction with types with parameter\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:55
S80	4	transaction with types with message near1 parameter\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:58
S81	46	transaction with types with router\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:58
S82	1	transaction with types with router\$3 same parameter\$1 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:19
S83	21026	(fail\$3 with period\$3) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:25
S84	1013	(fail\$3 with response\$3 with period\$3) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:25
S85	247	detect\$3 with (fail\$3 with response\$3 with period\$3) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:25

EAST Search History

S86	9	"709"/.ccls. and detect\$3 with (fail\$3 with response\$3 with period\$3) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:25
S87	9	"709"/\$.ccls. and detect\$3 with (fail\$3 with response\$3 with period\$3) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:01
S88	0	"709"/\$.ccls. and failover\$3 with (fail\$3 with response\$3 with period\$3) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:30
S89	1	"709"/\$.ccls. and failover\$3 same (fail\$3 with response\$3 with period\$3) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:30
S90	0	("20020073211").PN.	USPAT; USOCR	OR	OFF	2006/03/14 16:01
S91	1	("20020073211").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 16:11
S92	1	("6138159").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 16:24
S93	1	("20020073211").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 16:26
S94	1	("6,728,748").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 16:36
S95	1	("6,327,622").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 16:36
S96	1	failover with rules and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:38

EAST Search History

S97	15	failover with polic\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:39
S98	9	failover near3 polic\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:46
S99	15	failover near4 polic\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:47
S10 0	1	failover near1 rule\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:47
S10 1	1	failover with rule\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:47
S10 2	38	fail with over with polic\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:01
S10 3	1	("6,108,701").PN.	USPAT; USOCR	OR	OFF	2006/03/14 18:02
S10 4	4587	transaction with id\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:03
S10 5	532	transaction with id\$4 with type\$1 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:03

EAST Search History

S106	11	transaction with id\$4 with type\$1 with parameter\$1 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:04
S107	11	transaction\$1 with id\$4 with type\$1 with parameter\$1 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:08
S108	1	("6,728,748").PN.	USPAT; USOCR	OR	OFF	2006/03/14 18:09
S109	0	load with balancing same transation with id\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:10
S110	1	load with balancing and transation\$1 with id\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:11
S111	0	transation\$1 with identifi\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:12
S112	5592	transaction\$1 with identifi\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:12
S113	10	load with balanc\$3 with transaction\$1 with identifi\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:13
S114	26055	fail with over transaction\$1 with identifi\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:13

EAST Search History

S11 5	0	fail with over with transaction\$1 with identifi\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:13
S11 6	1	fail with over same transaction\$1 with identifi\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:15
S11 7	23	fail with over and table with transaction\$1 with identifi\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:15
S11 8	12	fail with over and table with transaction\$1 near2 identifi\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:17
S11 9	172	table with transaction\$1 near1 identifi\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:17
S12 0	0	(load with balanc\$3) and (table\$1 with transaction\$1) near1 identifi\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:18
S12 1	3	(fail with over) and (table\$1 with transaction\$1) near1 identifi\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:18
S12 2	11	(fail with over) and (table\$1 with transaction\$1 near1 identifi\$4) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:23

EAST Search History

S12 3	0	(fail with over) same(table\$1 with transaction\$1 near1 identifi\$4) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:20
S12 4	8	(load with balanc\$3) and (table\$1 with transaction\$1 near1 identifi\$4) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:27
S12 5	68	(load with balanc\$3) and (table\$1 with connection\$1 near1 identifi\$4) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:27
S12 6	18	(load with balanc\$3) and (table\$1 with connection\$1 near1 identifi\$4) and @ad<="20010102" and recover\$3 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 20:10
S12 7	1	("6728748").PN.	USPAT; USOCR	OR	OFF	2006/03/15 09:41
S12 8	1	("6138159").PN.	USPAT; USOCR	OR	OFF	2006/03/15 10:14
S12 9	0	(2002/0087912).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/15 10:14
S13 0	1	("20020087912").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/15 11:58
S13 1	3	classif\$4 with bussiness withh transaction\$4 with @ad<="20010102"	USPAT	OR	OFF	2006/03/15 12:16
S13 2	91	classif\$4 with bussiness withh transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:16
S13 3	87	fail with over same classif\$4 with bussiness withh transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:17

EAST Search History

S13 4	87	"705"/\$.ccls. and fail with over same classif\$4 with bussiness with transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:19
S13 5	87	"709"/\$.ccls.and fail with over same classif\$4 with bussiness with transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:19
S13 6	87	"709"/\$.ccls.and fail with over same classif\$4 with bussiness with transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:20
S13 7	0	"709"/\$.ccls.and fail with over same classif\$4 with bussiness with transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:20
S13 8	0	"709"/\$.ccls.and fail with over and classif\$4 with bussiness with transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:20
S13 9	0	"705"/\$.ccls.and fail with over and classif\$4 with bussiness with transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:20
S14 0	0	fail with over and classif\$4 with bussiness with transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:21
S14 1	0	failover and classif\$4 with bussiness with transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:21

EAST Search History

S14 2	0	classif\$4 with bussiness with transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:21
S14 3	311894	classif\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:21
S14 4	0	classif\$4 with transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:21
S14 5	0	classif\$4 same transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:22
S14 6	0	transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:23
S14 7	0	transaction with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:23
S14 8	0	transaction with @ad<="20050102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:23
S14 9	224233	transaction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:23

EAST Search History

S15 0	125081	transaction and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:23
S15 1	3828097	classif\$4 and identify transaction types and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:25
S15 2	3643285	classif\$4 and identify with transaction types and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:25
S15 3	47	classif\$4 and identify with transaction with types and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:14
S15 4	1	("6138159").PN.	USPAT; USOCR	OR	OFF	2006/03/15 14:14
S15 5	1	("6292905").PN.	USPAT; USOCR	OR	OFF	2006/03/15 14:15
S15 6	1	("20020087912").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/15 14:16
S15 7	0	("10020073211").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/15 14:16
S15 8	0	("10020073211").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/15 14:16
S15 9	1	("20020073211").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/15 14:24
S16 0	14	bill with charg\$3 with connections with time\$1 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:33

EAST Search History

S16 1	4	bill with charg\$3 with connections near2 time\$1 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:04
S16 2	2	cookie\$1 with insert\$3 with database and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:18
S16 3	1	("6,108,701").PN.	USPAT; USOCR	OR	OFF	2006/03/15 15:19
S16 4	1	("6,292,905").PN.	USPAT; USOCR	OR	OFF	2006/03/15 15:20
S16 5	1	("6,138,159").PN.	USPAT; USOCR	OR	OFF	2006/03/15 15:20
S16 6	298	fail with over and secur\$4 with connection and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:21
S16 7	63	fail with over and secur\$4 near1 connection and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:21
S16 8	7	fail with over and secur\$4 near1 connection and shopp\$5 with cart\$1 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:44
S16 9	1	fail with over same shopp\$5 with cart\$1 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:45
S17 0	32	fail with over and shopp\$5 with cart\$1 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:45

EAST Search History

S17 1	2	("20020103663").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:44
S17 2	2	("6,185,695").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:48
S17 3	0	("200200733211").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:48
S17 4	0	("200200733211").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:49
S17 5	2	("20020073321").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:50
S17 6	2	("20020073211").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 17:02
S17 7	2	("20030145120").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 17:05
S17 8	2	("6182163").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 17:06

EAST Search History

S17 9	2	("6751213").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 17:11
S18 0	2	("6182163").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 17:45
S18 1	2	("4672529").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 17:46
S18 2	2	("5951707").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 17:48
S18 3	2	("5638384").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 17:49
S18 4	0	("200200733211").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/29 11:35
S18 5	2	("20020073211").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/29 11:38
S18 6	2	"20020073211"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 12:51

EAST Search History

S18 7	2	("6859834").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/29 12:51
S18 8	340	"709"/\$.ccls. and (transaction\$3 with failure\$1) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 13:00
S18 9	85	"709"/\$.ccls. and (transaction\$3 with failure\$1) same recovery and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 13:37
S19 0	3	"709"/\$.ccls. and ((transaction\$3 with failure\$1) with detect\$4) same recovery and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 13:56
S19 1	0	((transaction\$3 with failure\$1 with outcome\$1) with detect\$4) same recovery and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 13:56
S19 2	1	((transaction\$3 with failure\$1 with outcome\$1) with detect\$4) and recovery and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 14:00
S19 3	1	((transaction\$3 same failure\$1 with outcome\$1) with detect\$4) and recovery and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 14:00
S19 4	4	((failure\$1 with outcome\$1) with detect\$4) and recovery and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 14:34

EAST Search History

S19 5	0	(decriptive with state\$1 with transaction\$1) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 14:35
S19 6	0	(decriptive with state\$1) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 14:35
S19 7	9	(descriptive with state\$1 with transaction\$1) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 14:35
S19 8	2	(descriptive with state\$1 with transaction\$1)with record\$1 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 15:03
S19 9	268	(request\$3 near2 types)with (transaction near2 types) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 15:03
S20 0	5	match\$3 with (request\$3 near2 types)with (transaction near2 types) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 15:20
S20 1	143	(updat\$3 with (transaction near2 types) and @ad<="20010201")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 15:21
S20 2	36	(updat\$3 with (transaction near2 types)) and recovery and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 15:24

EAST Search History

S20 3	31	(updat\$3 with (transaction near1 types)) and recovery and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 15:24
S20 4	6	(updat\$3 with (transaction adj2 types)) and recovery and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 17:10
S20 5	2	("20020087912").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/29 17:10
S20 6	24357	ETA and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:56
S20 7	1	ETA with "electronic transaction assurance" and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:57
S20 8	1	"electronic transaction assurance" and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:57
S20 9	6	"transaction assurance" and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:59
S21 0	2443	"transaction" with recover\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:59

EAST Search History

S21 1	2	("20020152239").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 06:46
S21 2	2	(recover\$4 with fail\$3 with polici\$3) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:11
S21 3	0	(administ\$4 with recover\$4 with polici\$3) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:12
S21 4	0	(administ\$4 same recover\$4 with polici\$3) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:12
S21 5	48	(administ\$4 with polici\$3) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:12
S21 6	5	recover\$3 with transactions with policy and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:22
S21 7	40	recover\$3 with transactions same policy and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:23
S21 8	225	recover\$3 with policy and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:23

EAST Search History

S21 9	17	(recover\$3 with policy).ab. and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:26
S22 0	42	(recover\$3 with policy) same transactions and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:33
S22 1	873	(transaction with manager) and recover\$4 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:34
S22 2	65	(transaction with manager) and recover\$4 with (polic\$4 rules) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:34
S22 3	2	(transaction with manager) same recover\$4 with (polic\$4 rules) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:37
S22 4	65	(transaction with manager) and recover\$4 with (polic\$4 rules) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:37
S22 5	5	(transaction with manager) and recover\$4 adj2 (polic\$4 rules) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:38
S22 6	8	(transaction with manager) and recover\$4 adj4 (polic\$4 rules) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:39

EAST Search History

S22 7	98	((transaction with manager) same recover\$4 and (polic\$4 rules) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:39
S22 8	98	((transaction with manager) same recover\$4) and (polic\$4 rules) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:39
S22 9	73	((transaction with manager) with recover\$4) and (polic\$4 rules) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:39
S23 0	0	((transaction with manager) with recover\$4 with enterpris\$3) and (polic\$4 rules) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:40
S23 1	11	((transaction with manager) with enterpris\$3) and (polic\$4 rules) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:41
S23 2	5	((transaction with manager) with enterpris\$3) and recov\$ and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:41
S23 3	2	("20030060212").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 10:00